Trigger Counter & MID Alignment

Bruce Baller September 20, 2005



Motivation

- See data/MC differences in vµ scattering angle, momentum distribution
 - Structure_functions.ppt (Aug 02, 2005)
- Confirm trigger/MID efficiencies



Check T1,T2,T3 Alignment

- Decode & reconstruct T1.T3 events
 - Fit hits in all SFT stations
 - Require DC track match
- Project tracks to T1,T2, T3 Z positions
- Plot residual for latched counters
 - Use X offsets and counter size from MC
- Do the same for 10k MC muons
- See 1.0 cm difference (trigr-b4.ps)
 - Construction error?



Fix T1,T2,T3 Alignment

- Shifted all counters by 1.0 cm in MC file geo_descr_all_per.dat
- Generate 10k MC muons
- Offset corrected (trigr.ps)



Check MID alignment

- Project CCmu muons to walls A,B,C
- Plot residuals with the fitted hits
 - See ccmu.ps
 - Only the central X and Y panels are decently populated
 - See 4 cm, 4.5 cm and 6 cm offsets in X view!
- I thought this was checked years ago



Fix MID Alignment

- Solutions
 - 1) Re-decode, re-reconstruct, etc all events (a major effort!)
 - Read all events, shift MID X hits, re-do MID analysis, and write out (one time only)
- Used option 2
 - Updated histograms in ccmud.ps
 - Saved old files as .oldrft
- Corrected all alignment constants files
 - Data: Only used when re-decoding events



MID Alignment – MC fix

- MC MID residual plots are centered on 0 by design
 - geo_descr_all_per.dat used for truth hit creation
 - Offline alignment file used for reco hit creation
- Compared the lower/upper left/right edge of each MID panel
 - MC: After geo_descr_all_per.dat is read
 - Data: After l1acon.<run> is read
- Changed geo_descr_all_per.dat to match the data alignment constants files (~< 1 mm)

Effect on Trigger/MID efficiency

- MC jobs 10k CCe + CCmu
- Before
 - Trigger efficiency: 97%
 - CCmu MID tag efficiency: 73%
- After
 - Trigger efficiency: 97%
 - CCmu MID tag efficiency: 75%



Changes to # of CCmu events

- Old: 284 CCmu events in evlist
- Fixed bugs
 - Bsthit: Apply 10 cm —fiducial cut in non-readout direction
 - Tkfits: Handle case where kink fit p<10 GeV and swim fit p>10 GeV
- New: 285 CCmu events
 - Lost 4 events and gained 5